



Versuchsergebnis Körnermais 2019

Fam. Kern


Anbau: 20.04.2019

3233 Kilb

Ernte: 14.10.2019

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT ARTENYO	370	85	32,2%	16.320	12.384	105%
RGT CONEXXION	340	85	29,1%	15.477	12.381	105%
RGT IRENOXX	ca. 280	85	29,0%	15.022	12.037	102%
RGT CHROMIXX	260	85	25,0%	13.884	11.861	101%
RGT MULTIPLEXX	ca. 280	85	28,3%	14.519	11.768	100%
RGT EXXPOSANT	270	85	25,7%	13.883	11.731	99%
RGT INEDIXX	360	85	32,8%	15.477	11.622	98%
RGT EXXACT	ca. 340	85	27,6%	13.973	11.455	97%
RGT MAXXATAC	ca. 300	85	29,9%	13.884	10.959	93%
Versuchsmittel			28,8%	14.716	11.800	100%

¹⁾ Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325



Kontakt und Beratung:

DI Christian STURM 0664/2482040

Ing. Christian BAUER 0664/88231113