

PRAXISVERSUCHE

STEIERMARK 2018

KÖRNERMAIS

Florian Joachim

Anbau: 23.04.2018

8143 Dobl

Ernte: 27.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT ARTENYO	370	85	19,1%	16.857	15.718	108%
RGT DRAGSTER	ca. 390	85	19,5%	16.857	15.629	108%
RGT NOEMIXX	410	85	19,5%	16.571	15.364	106%
RGT TEXERO	ca. 380	85	18,4%	16.286	15.336	106%
RGT FERARIXX	390	85	18,5%	16.286	15.315	105%
RGT MEXINI	ca. 440	85	20,3%	16.286	14.926	103%
RGT MEMOXX	430	85	19,2%	14.857	13.833	95%
DKC4717, dieSonja	380	85	19,6%	14.286	13.226	91%
DKC5141, dieStefanie	440	85	21,0%	14.286	12.961	89%
P9909	400	85	21,4%	14.286	12.885	89%
<i>Versuchsmittel</i>			19,7%	15.686	14.519	100%

Heiling Hans

Anbau: 25.04.2018

8224 Kaindorf

Ernte: 05.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	27,0%	19.520	16.157	110%
RGT TEXERO	ca. 380	85	21,2%	16.946	15.329	105%
RGT NOEMIXX	410	85	23,3%	17.267	15.140	103%
RGT ARTENYO	370	85	20,3%	16.302	14.941	102%
RGT MEMOXX	430	85	23,3%	16.946	14.857	101%
RGT DRAGSTER	ca. 390	85	22,3%	16.088	14.318	98%
RGT LIPEXX	340	85	20,6%	15.659	14.289	98%
RGT CONEXXION	340	85	20,2%	15.230	13.978	95%
RGT FERARIXX	390	85	21,4%	14.157	12.769	87%
<i>Versuchsmittel</i>			22,2%	16.457	14.642	100%

¹⁾ Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Gaspar Alois
8324 Oberdorf

Anbau: 02.05.2018
Ernte: 05.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT TEXERO	ca. 380	85	22,4%	18.484	16.426	105%
RGT ARTENYO	370	85	21,9%	17.648	15.801	101%
RGT NOEMIXX	410	85	25,4%	18.588	15.780	101%
RGT FERARIXX	390	85	23,8%	18.066	15.720	100%
RGT MEMOXX	430	85	27,3%	19.006	15.657	100%
RGT CONEXXION	340	85	21,7%	17.126	15.379	98%
RGT DRAGSTER	ca. 390	85	26,2%	17.648	14.795	95%
<i>Versuchsmittel</i>			24,1%	18.081	15.651	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Arbeiter Gerhard
8262 llz

Anbau: 23.04.2018
Ernte: 08.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	20,6%	17.627	16.086	104%
RGT FERARIXX	390	85	19,6%	17.244	15.965	103%
RGT TEXERO	ca. 380	85	19,4%	17.167	15.939	103%
RGT NOEMIXX	410	85	19,5%	17.167	15.916	103%
RGT DRAGSTER	ca. 390	85	19,3%	17.091	15.891	103%
RGT ARTENYO	370	85	19,2%	16.324	15.200	98%
DKC4717, dieSonja	380	85	20,3%	16.554	15.172	98%
RGT LIPEXX	340	85	19,7%	15.865	14.666	95%
RGT CONEXXION	340	85	20,5%	15.481	14.148	92%
<i>Versuchsmittel</i>			19,8%	16.725	15.442	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Lohndrusch Trummer

Anbau: 24.04.2018

8342 Gnas

Ernte: 10.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	27,7%	20.791	17.017	116%
RH17022	ca. 430	85	23,8%	18.217	15.851	108%
RGT NOEMIXX	410	85	22,8%	17.819	15.741	108%
RGT TEXERO	ca. 380	85	21,0%	16.739	15.186	104%
RGT ARTENYO	370	85	21,3%	15.690	14.172	97%
DKC4717, dieSonja	380	85	22,9%	15.641	13.797	94%
RGT DRAGSTER	ca. 390	85	22,0%	15.274	13.655	93%
RGT FERARIXX	390	85	21,7%	14.697	13.198	90%
RGT MEMOXX	430	85	23,2%	14.724	12.929	88%
<i>Versuchsmittel</i>			22,9%	16.621	14.616	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Mader Franz

Anbau: 18.04.2018

8350 Fehring

Ernte: 30.09.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca.440	85	21,3%	21.291	19.232	113%
RGT DRAGSTER	ca. 390	85	18,8%	18.321	17.156	101%
RGT TEXERO	ca. 380	85	18,9%	18.090	16.916	100%
RGT NOEMIXX	410	85	18,4%	17.799	16.762	99%
DKC4717, dieSonja	390	85	18,5%	17.800	16.739	99%
P9241	380	85	18,3%	17.744	16.733	99%
RGT MEMOXX	430	85	18,6%	17.742	16.661	98%
RGT ARTENYO	370	85	18,1%	17.505	16.554	98%
RGT FERARIXX	390	85	18,4%	16.752	15.775	93%
<i>Versuchsmittel</i>			18,8%	18.116	16.947	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Strohmaier Anton

Anbau: 24.04.2018

8522 Groß St. Florian

Ernte: 04.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	22,3%	18.665	16.612	109%
RGT NOEMIXX	410	85	21,8%	17.675	15.848	104%
RGT ARTENYO	370	85	19,6%	16.927	15.671	103%
RGT TEXERO	ca. 380	85	20,1%	16.839	15.478	101%
DKC4717, dieSonja	380	85	20,4%	16.429	15.035	98%
RGT DRAGSTER	ca. 390	85	20,9%	16.484	14.977	98%
RGT MEMOXX	430	85	21,5%	16.316	14.695	96%
RGT CONEXXION	340	85	19,8%	15.894	14.672	96%
RGT FERARIXX	390	85	21,1%	16.016	14.509	95%
<i>Versuchsmittel</i>			20,8%	16.805	15.278	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Tappler Hermann

Anbau: 22.04.2018

8413 St. Georgen

Ernte: 13.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
MEXINI	ca. 440	82	18,7%	17.201	16.130	106%
RGT NOEMIXX	410	82	18,2%	16.327	15.418	101%
TEXERO	ca. 380	82	16,8%	15.792	15.206	100%
ARTENYO	370	82	15,6%	15.452	15.124	99%
DRAGSTER	ca. 390	82	17,4%	15.549	14.849	97%
DKC4717, dieSonja	380	82	17,4%	15.525	14.825	97%
<i>Versuchsmittel</i>			17,4%	15.974	15.259	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Eibler Alois
8421 Unterlabill

Anbau: 16.04.2018
Ernte: 01.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	20,2%	18.776	17.234	111%
RGT DRAGSTER	ca. 390	85	18,6%	17.595	16.522	107%
RGT NOEMIXX	410	85	18,9%	16.938	15.838	102%
RGT TEXERO	ca. 380	85	17,5%	16.544	15.777	102%
RGT FERARIXX	390	85	18,1%	16.150	15.273	99%
RGT MEMOXX	430	85	19,7%	16.019	14.809	96%
RGT ARTENYO	370	85	17,4%	15.508	14.809	96%
DKC4717, dieSonja	380	85	17,8%	14.181	13.467	87%
<i>Versuchsmittel</i>			18,5%	16.464	15.466	100%

¹⁾ Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Riegelnegg Franz
8443 Gleinstätten

Anbau: 25.04.2018
Ernte: 15.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT TEXERO	ca. 380	85	18,0%	17.647	16.712	103%
RGT DRAGSTER	ca. 390	85	19,5%	17.887	16.584	102%
RGT NOEMIXX	410	85	19,9%	18.007	16.599	102%
RGT MEXINI	ca. 440	85	20,7%	18.007	16.409	101%
RGT ARTENYO	370	85	17,5%	17.107	16.314	100%
DKC4717, dieSonja	380	85	19,0%	17.407	16.254	100%
RGT MEMOXX	430	85	20,0%	17.647	16.244	100%
RGT CONEXXION	340	85	18,5%	16.807	15.805	97%
RGT FERARIXX	390	85	19,3%	16.927	15.738	97%
<i>Versuchsmittel</i>			19,2%	17.494	16.295	100%

¹⁾ Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Selinschek Robert
8481 Weinburg

Anbau: 16.04.2018
Ernte: 12.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	19,1%	17.786	16.584	109%
RGT NOEMIXX	410	85	17,2%	16.811	16.098	106%
RGT TEXERO	ca. 380	85	16,2%	16.484	16.003	105%
RGT DRAGSTER	ca. 390	85	16,4%	16.398	15.877	104%
RGT ARTENYO	370	85	14,5%	15.005	14.906	98%
P9241	380	85	17,8%	15.570	14.786	97%
RGT MEMOXX	430	85	17,9%	15.467	14.668	96%
DKC4717, dieSonja	380	85	17,6%	15.347	14.615	96%
RGT FERARIXX	390	85	17,1%	15.089	14.469	95%
RH17022	ca. 430	85	18,4%	15.235	14.347	94%
<i>Versuchsmittel</i>			17,2%	15.919	15.235	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Heinrich Fischer
8492 Halbenrain

Anbau: 21.04.2018
Ernte: 04.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	18,9%	18.969	17.738	109%
RGT NOEMIXX	410	85	17,2%	17.791	17.037	105%
DKC5065, Absoluto	420	85	16,8%	17.086	16.452	101%
RGT ARTENYO	370	85	15,7%	16.814	16.436	101%
RGT MEMOXX	430	85	17,5%	17.201	16.403	101%
RGT DRAGSTER	ca. 390	85	16,2%	16.667	16.181	99%
P9241	380	85	16,3%	16.641	16.134	99%
P9903	400	85	16,4%	16.199	15.684	96%
RGT TEXERO	ca. 380	85	15,3%	15.858	15.585	96%
RGT FERARIXX	390	85	16,2%	15.799	15.339	94%
<i>Versuchsmittel</i>			16,7%	16.903	16.299	100%

¹⁾Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Robert Znider
8504 Wieselsdorf

Anbau: 24.04.2018
Ernte: 04.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	31,3%	19.941	15.370	112%
RGT NOEMIXX	410	85	28,1%	17.857	14.521	106%
RGT MEMOXX	430	85	29,6%	18.097	14.357	105%
RGT DRAGSTER	ca. 390	85	23,4%	16.038	14.041	102%
RGT TEXERO	ca. 380	85	27,6%	16.631	13.634	99%
RGT ARTENYO	370	85	24,7%	15.825	13.582	99%
DKC4717, dieSonja	380	85	27,2%	16.429	13.555	99%
RGT CONEXXION	340	85	21,7%	14.919	13.397	98%
RGT FERARIXX	390	85	26,5%	14.915	12.444	91%
RGT LIPEXX	340	85	22,9%	13.753	12.131	89%
<i>Versuchsmittel</i>			26,3%	16.441	13.703	100%

¹⁾ Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

Schmied Markus
8454 Maltschach

Anbau: 22.04.2018
Ernte: 18.10.2018

Sorte	RZ	Pfl./ha in tsd	H ₂ O (%)	Nassmais kg/ha	Trockenmais kg/ha ¹⁾	Trockenmais rel. in %
RGT MEXINI	ca. 440	85	22,4%	19.619	17.435	105%
RH17022	ca. 420	85	23,2%	19.570	17.185	103%
RGT NOEMIXX	410	85	21,3%	18.668	16.862	101%
RGT TEXERO	ca. 380	85	19,0%	17.978	16.787	101%
RGT ARTENYO	370	85	18,5%	17.807	16.745	101%
RGT DRAGSTER	ca. 390	85	19,6%	17.490	16.192	97%
DKC4717, dieSonja	380	85	19,9%	17.538	16.167	97%
RGT FERARIXX	390	85	19,7%	17.002	15.718	94%
<i>Versuchsmittel</i>			20,5%	18.209	16.636	100%

¹⁾ Trockengewicht (kg/ha) bei 14% Basisfeuchte in kg/ha, Gewichtsabzugsfaktor: 1,325

KONTAKT & BERATUNG

DI Hermann TAPPLER
Daniel KLEINSCHUSTER

0664 / 23 14 147
0664 / 42 65 722

Verkaufsleiter
FB, FF, Burgenland Süd